

Hosai Area

Flood (estimated flood scale) that occurs approx. once every 100 years


Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 100 years).

- Relevant rivers and rainfall amount:
Saigawa River: 314mm of rainfall in two days
Asanogawa River: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.


Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Naga-machi Junior High School Hosai Branch / Chuo Elementary School Hosai Branch	2-3-8 Hosai	221-1811	○
	Chuo Elementary School	2-1 Tamagawa-cho	262-8560	○
	Women's Center	1-44 Sanja-machi	263-0115	○
	Hosai Kominkan Community Center	2-3-29 Hosai	221-7226	○



Legend

- | | |
|--|---|
| Designated emergency evacuation places | Map symbols |
| Schools, community centers, etc. | Government office |
| Parks, squares | Fire station / Fire brigade etc. |
| Water level observation station, Water level gauge | Police station / Police box |
| River monitoring camera | Hospital |
| Disaster prevention radio broadcast system | Administrative boundary |
| Dangerous points on the evacuation route | School zone (block) boundary |
| Bridge / Underground passage | Main highway |
| Bridge / Underpass | <small>Note: School zone (block) boundaries shown on the map are approximate.</small> |

Estimated hazardous areas




Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster



1:5,000



Kanazawa Flood Hazard Map

Hosai Area

Inland flood (estimated maximum scale) that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation


This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

The areas shown on the map are not the estimated flooding areas based on the Flood Prevention Law. Please refer to the map to understand flood risks and evacuation actions during heavy rainfall.

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Naga-machi Junior High School Hosai Branch / Chuo Elementary School Hosai Branch	2-3-8 Hosai	221-1811	○
	Chuo Elementary School	2-1 Tamagawa-cho	262-8560	○
	Women's Center	1-44 Sanja-machi	263-0115	○
	Hosai Kominkan Community Center	2-3-29 Hosai	221-7226	○




Legend

- Designated emergency evacuation places**
 - Schools, community centers, etc.
 - Parks, squares
 - Evacuation information**
 - Water level observation station, Water level gauge
 - River monitoring camera
 - Disaster prevention radio broadcast system
 - Dangerous points on the evacuation route**
 - Bridge / Underground passage
 - Bridge / Underpass
 - Map symbols**
 - Government office
 - Fire station / Fire brigade etc.
 - Police station / Police box
 - Hospital
 - Administrative boundary
 - School zone (block) boundary
 - Main highway
- Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels



Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.
 Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster



Historically flooded areas

Historically flooded areas * Areas where flooding occurred due to heavy rain in 2008 or later

