

# Kanazawa Flood Hazard Map

## Chisaka School Zone




Flood (estimated maximum scale)  
that occurs once every  
1000 years or more


Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:  
Asanogawa River: 914mm of rainfall in two days  
Kanakusarigawa River: 938mm of rainfall in two days  
Morimotogawa River: 919mm of rainfall in two days  
Onogawa River/ Kahoku Lagoon: 768mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Designated Evacuation Locations				
Facility Names		Address	Tel	Availability
Main	 Chisaka Elementary School	1-125 Segi	258-1270	2nd floor and above
	 Chisaka Kominkan Community Ctr.	1-119 Segi	257-0670	2nd floor and above
	 Hokoji Athletic Square	To-11-2 Hokoji-machi	—	○



### Legend

- Designated emergency evacuation places**
- Schools, community centers, etc.
  - Parks, squares
- Evacuation information**
- Water level observation station, Water level gauge
  - River monitoring camera
  - Disaster prevention radio broadcast system
- Dangerous points on the evacuation route**
- Bridge / Underground passage
  - Bridge / Underpass
- Map symbols**
- Government office
  - Fire station / Fire brigade etc.
  - Police station / Police box
  - Hospital
  - Administrative boundary
  - School zone (block) boundary
  - Main highway
- Note: School zone (block) boundaries shown on the map are approximate.

### Estimated hazardous areas

#### Estimated flooding areas and flood water levels

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m	Flooding up to 2nd floor ceiling		
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:	Evacuation *Note 1
0 - 0.5 m	Flooding up to adult knee		

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

#### Areas where buildings may collapse or be washed away

- Areas where bank erosion may occur → Early evacuation
- Areas where overflow may occur → Early evacuation

#### Sediment disaster

Sediment disaster risk area

- Sediment disaster hazard area → Early evacuation





# Kanazawa Flood Hazard Map

## Chisaka School Zone

**Flood (estimated flood scale)**  
that occurs approx.  
once every 50-100 years

Rainfall criteria prerequisite for estimated flooding area designation


This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 50-100 years).

- Relevant rivers and rainfall amount:  
Asanogawa River: 256mm of rainfall in two days  
Kanakusarigawa River: 237mm of rainfall in two days  
Morimoto River: 237mm of rainfall in two days  
Onogawa River/ Kahoku Lagoon: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main Chisaka Elementary School	1-125 Segi	258-1270	2nd floor and above
Chisaka Kominkan Community Ctr.	1-119 Segi	257-0670	2nd floor and above
Hokoji Athletic Square	To-11-2 Hokoji-machi	—	○

※The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.





# Kanazawa Flood Hazard Map

## Chisaka School Zone

Inland flood  
(estimated maximum scale)  
that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation


This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main Chisaka Elementary School	1-125 Segi	258-1270	2nd floor and above
Chisaka Kominkan Community Ctr.	1-119 Segi	257-0670	2nd floor and above
Hokoji Athletic Square	To-11-2 Hokoji-machi	—	○

※The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.



### Legend

- Designated emergency evacuation places**

  - Schools, community centers, etc.
  - Parks, squares
- Evacuation information**

  - Water level observation station, Water level gauge
  - River monitoring camera
  - Disaster prevention radio broadcast system
- Dangerous points on the evacuation route**

  - Bridge / Underground passage
  - Bridge / Underpass
- Map symbols**

  - Government office
  - Fire station / Fire brigade etc.
  - Police station / Police box
  - Hospital
  - Administrative boundary
  - School zone (block) boundary
  - Main highway
  - Scope of the public sewer project plan
- Note: School zone (block) boundaries shown on the map are approximate.

### Estimated hazardous areas

#### Estimated flooding areas and flood water levels

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:
3.0 - 5.0 m	Flooding up to 2nd floor ceiling	Early evacuation
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:
0 - 0.5 m	Flooding up to adult knee	Evacuation *Note 1

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

#### Sediment disaster

Sediment disaster risk area	
Sediment disaster hazard area	Early evacuation

#### Historically flooded areas

- Historically flooded areas
- \* Areas where inundation occurred due to heavy rain between 2008 and 2024

