

Kanazawa Flood Hazard Map

Konohana Area

Flood (estimated maximum scale)
that occurs once every
1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Saigawa River: 860mm of rainfall in two days
Asanogawa River: 914mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Legend

Designated emergency evacuation places	Map symbols
Schools, community centers, etc.	○ Government office
Parks, squares	○ Fire station / Fire brigade etc.
Evacuation information	○ Police station / Police box
Water level observation station, Water level gauge	+
River monitoring camera	—
Disaster prevention radio broadcast system	—
Dangerous points on the evacuation route	—
Bridge / Underground passage	! (yellow circle)
Bridge / Underpass	! (yellow circle) + ! (yellow circle)

Estimated hazardous areas

Estimated flooding areas and flood water levels	
5.0 m - Flooding above 2nd floor roof	When the top floor is flooded: Early evacuation
3.0 - 5.0 m Flooding up to 2nd floor ceiling	When the top floor is not flooded: Evacuation *Note 1
0.5 - 3.0 m Flooding up to 1st floor ceiling	
0 - 0.5 m Flooding up to adult knee	

Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Areas where buildings may collapse or be washed away

Areas where bank erosion may occur	Early evacuation
Areas where overflow may occur	Early evacuation

Sediment disaster

Sediment disaster risk area	Early evacuation
Sediment disaster hazard area	Early evacuation

1:5,000

0

125

250


500m

Hosai Kominkan Community Center

Naga-machi Junior High School Hosai Branch / Chuo Elementary School Hosai Branch

*Not available

Tamagawa Sub-firestation



Kanazawa Flood Hazard Map

Konohana Area

Flood (estimated flood scale)
that occurs approx.
once every 100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 100 years).

- Relevant rivers and rainfall amount:
Saigawa River: 314mm of rainfall in two days
Asanogawa River: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.



Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main Konohana-machi Kominkan Community Center	2-7 Konohana-machi	263-8148	2nd floor and above

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Kinrosha Plaza

*2nd floor and above available



Nanatsuya Station

Nanatsuya Flood Fighting Warehouse (Prf.)

Moroe Area

Kanazawa Water & Energy Center

Kanazawa-Tatsuruhama Road

Moroe-dori Ave.

Nagata-machi School Zone

Kanazawa Station

Hoketsu Kanazawa Station

Kanazawa Ekimae Police Box

Nagata-machi Fire Brigade

Asano-machi School Zone

Oge-bashi Bridge

Yonezawa Hospital

Johoku Hospital

Asano-machi Elementary School

*2nd floor and above available

Asanogawa River

Shoei-bashi Bridge

Asano-machi Fire Brigade

Hikoso-ohashi Bridge

Kobashi Tilting Weir

Kobashi

Kobashi Bridge

Hyotan Area

Hikoso-ohashi Bridge

Kobashi

Kobashi Bridge

Meisei Elementary School

*2nd floor and above available

Hyotan-machi Fire Brigade

Kobashi

