

Kanazawa Flood Hazard Map

Kosaka School Zone (North)

Flood (estimated maximum scale) that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Asanogawa River: 914mm of rainfall in two day
Kanakusarigawa River: 938mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.


Legend

Designated emergency evacuation places
Schools, community centers, etc.
Parks, squares

Evacuation information
Water level observation station, Water level gauge
River monitoring camera
Disaster prevention radio broadcast system

Dangerous points on the evacuation route
Bridge / Underground passage
Bridge / Underpass

Estimated hazardous areas



Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Areas where buildings may collapse or be washed away

Areas where bank erosion may occur
Areas where overflow may occur

Sediment disaster
Sediment disaster risk area

Sediment disaster hazard area


1:8,000

0

200

400

800m



Kanazawa Flood Hazard Map

Kosaka School Zone (North)

Inland flood (estimated maximum scale)


that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m	Flooding up to 2nd floor ceiling		
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:	Evacuation *Note 1
0 - 0.5 m	Flooding up to adult knee		

Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

- Sediment disaster hazard area

Early evacuation

Historically flooded areas

- Historically flooded areas

* Areas where inundation occurred due to heavy rain between 2008 and 2024

1:8,000

0

200

400

800m

Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main	Kosaka Elementary School	Naka-142 Kosaka-machi	252-6386
	Hokumei Junior High School	Kita-95 Kosaka-machi	251-7540
	Seiryo High School	Minami-206 Kosaka-machi	252-2237
	Kanazawa Seiryo University	Ushi-10-1 Goshō-machi	253-3924
	Johoku Children's Ctr.	Nishi-8-11 Kosaka-machi	251-0444
	Kosaka Kominkan Community Ctr.	Kita-312 Kosaka-machi	252-3067
	Johoku Shimin Taiikukan Gym	2-10-44 Naruwa	251-0853

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

