

Kanazawa Flood Hazard Map

Kuratsuki School Zone (North)

Flood (estimated maximum scale) that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Saigawa River: 860mm of rainfall in two days
Asanogawa River: 914mm of rainfall in two days
Onogawa River / Kahoku Lagoon: 768mm of rainfall in two days
- Rivers other than the relevant rivers: Yumitorigawa River, Shindaitoku-gawa River, Daitokugawa River 813mm of rainfall in 24 hrs over the entire basin

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main	Kuratsuki Elementary School	Ri-27-1 Minamishinbo-machi	237-6647
	Minato Junior High School	217 Chikaoka-machi	238-5663
	Kuratsuki Kominkan Community Ctr.	Minami-1-1 Naoe-machi	237-6446

Monozukuri Kaikan Craft Ctr.

Awagasaki Chuo Park

Awagasaki No.1 Park

Awagasaki Kominkan Community Ctr.

Harbor Sub-firestation

Awagasaki Fire Brigade

Arakawa-bashi Bridge

Awagasaki Police Box

Awagasaki-bashi Bridge

Awagasaki Elementary School

Gorojima-ohashi Bridge

Shinfunatoshi-bashi Bridge

Onogawa River

Kanazawa Minato-ohashi Bridge

Naoe-ohashi Bridge

Takagari-bashi Bridge

Yumitorigawa River

Kaminaoe-ohashi Bridge

Kitadera-ohashi Bridge

Wardashi No.8 Bridge

Yumitorigawa (Toiya)

Minato Junior High School

Kuratsuki School Zone

Akanuma Station

Kita Station

Asanogawa (Kuraoribashi)

Asanogawa (Kuraoribashi)

Asanogawa Elementary School

***2nd floor and above available**

***2nd floor and above available**

***Not available**

Sediment disaster risk area

Sediment disaster hazard area

Early evacuation

Kanazawa Flood Hazard Map

Kuratsuki School Zone (North)

Flood (estimated flood scale)
that occurs approx.
once every 100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 100 years).

• Relevant rivers and rainfall amount:

Saigawa River: 314mm of rainfall in two days
Asanogawa River: 256mm of rainfall in two days
Onogawa River/ Kahoku Lagoon: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

Legend

Designated emergency evacuation places	Map symbols
Schools, community centers, etc.	Building icon
Parks, squares	Person icon

Evacuation information	Map symbols
Water level observation station, Water level gauge	Blue triangle icon
River monitoring camera	Black camera icon
Disaster prevention radio broadcast system	Red square icon
Main highway	Black line icon
Relevant river area	Red dashed line icon

Dangerous points on the evacuation route	Map symbols
Bridge / Underground passage	Yellow exclamation mark icon
Bridge / Underpass	Yellow exclamation mark icon with a bridge symbol

Estimated hazardous areas	Map symbols
5.0 m - Flooding above 2nd floor roof	Red shaded area
3.0 - 5.0 m Flooding up to 2nd floor ceiling	Dark red shaded area
0.5 - 3.0 m Flooding up to 1st floor ceiling	Orange shaded area
0 - 0.5 m Flooding up to adult knee	Yellow shaded area

Estimated flooding areas and flood water levels	Map symbols
When the top floor is flooded:	Red arrow icon
Early evacuation	Red arrow icon
When the top floor is not flooded:	Orange arrow icon
Evacuation *Note 1	Orange arrow icon

Note: School zone (block) boundaries shown on the map are approximate.

! Bridge / Underpass

Kanazawa Flood Hazard Map

Kuratsuki School Zone

(North)

Inland flood
ated maximum scale)

that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	 Kuratsuki Elementary School	Ri-27-1 Minamishinbo-machi	237-6647	2nd floor and above
	 Minato Junior High School	217 Chikaoka-machi	238-5663	2nd floor and above
	 Kuratsuki Kominkan Community Ctr.	Minami-1-1 Naoe-machi	237-6446	2nd floor and above

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Uchinada Town

