

Kanazawa Flood Hazard Map

Misogura Area

Flood (estimated maximum scale)
that occurs once every
1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Saigawa River: 860mm of rainfall in two days
Asanogawa River: 914mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

*2nd floor and above available
Nagadohe Kominkan Community Ctr.
Nagadohe Youth Exchange Ctr.
Nagadohe Fire Brigade
*2nd floor and above available
Chuo Shimin Taiukukan Gym

Legend

Designated emergency evacuation places
Map symbols
Schools, community centers, etc.
Parks, squares
Government office
Fire station / Fire brigade etc.
Police station / Police box
Hospital

Evacuation information
Water level observation station, Water level gauge
River monitoring camera
Disaster prevention radio broadcast system
Administrative boundary
School zone (block) boundary
Main highway

Dangerous points on the evacuation route
Bridge / Underground passage
Bridge / Underpass

Estimated hazardous areas
Estimated flooding areas and flood water levels
5.0 m - Flooding above 2nd floor roof
When the top floor is flooded:
Early evacuation
3.0 - 5.0 m Flooding up to 2nd floor ceiling
When the top floor is not flooded:
Evacuation *Note 1
0.5 - 3.0 m Flooding up to 1st floor ceiling
0 - 0.5 m Flooding up to adult knee

Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Areas where buildings may collapse or be washed away

Areas where bank erosion may occur
Areas where overflow may occur
Sediment disaster hazard area


Early evacuation
Early evacuation

1:9,000

225

450

900m



Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main	Kenroku Elementary School	7-15 Kenrokumoto-machi	231-7279 2nd floor and above
	Kenroku Junior High School	12-12 Tai-machi	263-2458 Not available
	Kanazawa University Special Support School	2-10 Higashikenroku-machi	263-5551 ○
	Misogura-cho Kominkan Community Ctr.	7-19 Kenrokumoto-machi	221-2573 2nd floor and above
	Kanazawa Castle Park	1-1 Marunouchi	234-3800 ○

Kanazawa Flood Hazard Map

Misogura Area



Flood (estimated flood scale)
that occurs approx.
once every 100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 100 years).

- Relevant rivers and rainfall amount:
Saigawa River: 314mm of rainfall in two days
Asanogawa River: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.




Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster




1:9,000

225


450

900m



Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main	Kenroku Elementary School	7-15 Kenrokumoto-machi	231-7279
	Kenroku Junior High School	12-12 Tai-machi	263-2458
	Kanazawa University Special Support School	2-10 Higashikenroku-machi	263-5551
	Misogura-cho Kominkan Community Ctr.	7-19 Kenrokumoto-machi	221-2573
	Kanazawa Castle Park	1-1 Marunouchi	234-3800

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.



Kanazawa Flood Hazard Map

Misogura Area

Inland flood (estimated maximum scale)

that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Legend

Designated emergency evacuation places		Map symbols	
Schools, community centers, etc.		○ Government office	
Parks, squares		○ Fire station / Fire brigade etc.	
		○ Police station / Police box	
		+	Hospital
		—	Administrative boundary
		—	School zone (block) boundary
		—	Main highway
		—	Scope of the public sewer project plan

Evacuation information

Water level observation station, Water level gauge	
River monitoring camera	
Disaster prevention radio broadcast system	

Dangerous points on the evacuation route

Bridge / Underground passage	
Bridge / Underpass	

Estimated hazardous areas

Estimated flooding areas and flood water levels

5.0 m - Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m Flooding up to 2nd floor ceiling		
0.5 - 3.0 m Flooding up to 1st floor ceiling	When the top floor is not flooded:	
0 - 0.5 m Flooding up to adult knee		Evacuation *Note 1

Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

—	Sediment disaster hazard area
→	Early evacuation

Historically flooded areas


—	Historically flooded areas
→	* Areas where inundation occurred due to heavy rain between 2008 and 2024

1:9,000

0

225


450



Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main	Kenroku Elementary School	7-15 Kenrokumoto-machi	231-7279
	Kenroku Junior High School	12-12 Tai-machi	263-2458
	Kanazawa University Special Support School	2-10 Higashikenroku-machi	263-5551
	Misogura-cho Kominkan Community Ctr.	7-19 Kenrokumoto-machi	221-2573
	Kanazawa Castle Park	1-1 Marunouchi	234-3800

* The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Utatsuyama Park



* When sedimentation disaster warning information is issued or there is a risk of a sediment disaster, the shelter cannot be used.