

Kanazawa Flood Hazard Map

Nuka School Zone

Flood (estimated maximum scale)
that occurs once every
1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Takahashigawa River: 938mm of rainfall in two days
- Rivers other than the relevant rivers: Ikarigawa River
813mm of rainfall in 24 hrs over the entire basin

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main Nuka Elementary School	I-41 Nukaotomaru-machi	298-0167	2nd floor and above
Nuka Junior High School	I-7 Nukaotomaru-machi	298-3520	2nd floor and above
Nuka Kominkan Community Ctr.	3-1-1 Nukadani	296-1515	○
Nukadani Fureai Taiikukan Gym	Nu-16 Nukadani-machi	296-1123	○*
Kakujuen	Nu-1 Nukadani-machi	298-9355	○
Nuka Seseragi Park	1-1 Nukadani	—	○
Nukadani No.1 Children's Park	2-49 Nukadani	—	○
Hikarigaoka 3-chome Children's Park	3-19 Hikarigaoka	—	○
Hikarigaoka Chuo Park	2-105 Hikarigaoka	—	○

Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital

- Administrative boundary
- School zone (block) boundary
- Main highway
- Relevant river area

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m	Flooding up to 2nd floor ceiling		
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:	Evacuation *Note 1
0 - 0.5 m	Flooding up to adult knee		

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)



Areas where buildings may collapse or be washed away

- Areas where bank erosion may occur
- Areas where overflow may occur

Sediment disaster

Sediment disaster risk area

- Sediment disaster hazard area



*When sedimentation disaster warning information is issued or there is a risk of a sediment disaster, the shelter cannot be used.

Kanazawa Flood Hazard Map

Nuka School Zone

Flood (estimated flood scale)
that occurs approx.
once every 50 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 50 years).

- Relevant rivers and rainfall amount:
Takahashigawa Rivers: 240mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main Nuka Elementary School	I-41 Nukaotomaru-machi	298-0167	2nd floor and above
Nuka Junior High School	I-7 Nukaotomaru-machi	298-3520	2nd floor and above
Nuka Kominkan Community Ctr.	3-1-1 Nukadani	296-1515	○
Nukadani Fureai Taiikukan Gym	Nu-16 Nukadani-machi	296-1123	○*
Kakujuen	Nu-1 Nukadani-machi	298-9355	○
Nuka Seseragi Park	1-1 Nukadani	—	○
Nukadani No.1 Children's Park	2-49 Nukadani	—	○
Hikarigaoka 3-chome Children's Park	3-19 Hikarigaoka	—	○
Hikarigaoka Chuo Park	2-105 Hikarigaoka	—	○

※The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols


- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital

- Administrative boundary
- School zone (block) boundary
- Main highway

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels




Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

- Sediment disaster hazard area

Early evacuation



Kanazawa Flood Hazard Map

Nuka School Zone

Inland flood
(estimated maximum scale)
that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main			
Nuka Elementary School	I-41 Nukaotomaru-machi	298-0167	2nd floor and above
Nuka Junior High School	I-7 Nukaotomaru-machi	298-3520	2nd floor and above
Nuka Kominkan Community Ctr.	3-1-1 Nukadani	296-1515	○
Nukadani Fureai Taiikukan Gym	Nu-16 Nukadani-machi	296-1123	○*
Kakujuen	Nu-1 Nukadani-machi	298-9355	○
Nuka Seseragi Park	1-1 Nukadani	—	○
Nukadani No.1 Children's Park	2-49 Nukadani	—	○
Hikarigaoka 3-chome Children's Park	3-19 Hikarigaoka	—	○
Hikarigaoka Chuo Park	2-105 Hikarigaoka	—	○

※The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital

- Administrative boundary
- School zone (block) boundary
- Main highway
- Scope of the public sewer project plan

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:
3.0 - 5.0 m	Flooding up to 2nd floor ceiling	Early evacuation
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:
0 - 0.5 m	Flooding up to adult knee	Evacuation *Note 1

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

- Sediment disaster hazard area

Historically flooded areas

- Historically flooded areas
- * Areas where inundation occurred due to heavy rain between 2008 and 2024

1:8,000

0

200

400

800m