



# Kanazawa Flood Hazard Map

## Sakiura Area

Flood (estimated flood scale)  
that occurs approx.  
once every 100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 100 years).

- Relevant rivers and rainfall amount:  
Saigawa River: 314mm of rainfall in two days  
Asanogawa River: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

### Legend


Designated emergency evacuation places  
Schools, community centers, etc.  
Parks, squares

Evacuation information  
Water level observation station, Water level gauge  
River monitoring camera  
Disaster prevention radio broadcast system

Dangerous points on the evacuation route  
Bridge / Underground passage  
Bridge / Underpass

Map symbols  
○ Government office  
○ Fire station / Fire brigade etc.  
○ Police station / Police box  
+ Hospital  
- - - Administrative boundary  
- - - School zone (block) boundary  
- - Main highway  
→ Relevant river area

Note: School zone (block) boundaries shown on the map are approximate.



### Designated Evacuation Locations \*Parks and squares are omitted.

Facility Names	Address	Tel	Availability
Main	Minami-kodatsuno Elementary School	2-5-1 Wakunami	261-9414
	Sakiura Kominkan Community Ctr.	2-41-36 Kodatsuno	231-6851
	Kanazawa College of Art	2-40-1 Kodatsuno	262-3531
	Joto Shimin Taiikukan Gym	2-346 Tsuchishimizu	229-3230
	Okuwa Disaster-prevention Base	3-80 Okuwa-machi	220-2366 <b>Not available</b>

\*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

### Estimated hazardous areas

<b>5.0 m -</b>	Flooding above 2nd floor roof
<b>3.0 - 5.0 m</b>	Flooding up to 2nd floor ceiling
<b>0.5 - 3.0 m</b>	Flooding up to 1st floor ceiling
<b>0 - 0.5 m</b>	Flooding up to adult knee

When the top floor is flooded:  
**Early evacuation**  
When the top floor is not flooded:  
**Evacuation \*Note 1**

Note 1: As an exception, taking shelter inside is also possible.

Note 2: Check the evacuation procedure.

Note 3: If evacuation is unsafe, take shelter inside (vertical evacuation)

### Sediment disaster

Sediment disaster risk area  
Sediment disaster hazard area

**Early evacuation**

### Historically flooded areas

Historically flooded areas  
\* Areas where inundation occurred due to heavy rain between 2008 and 2024

# Kanazawa Flood Hazard Map

## Sakiura Area

### Inland flood

(estimated maximum scale)

that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

### Legend

Designated emergency evacuation places --  
Schools, community centers, etc.  
Parks, squares

Evacuation information  
Water level observation station, Water level gauge  
River monitoring camera  
Disaster prevention radio broadcast system

Dangerous points on the evacuation route  
Bridge / Underground passage  
Bridge / Underpass

Map symbols  
Government office  
Fire station / Fire brigade etc.  
Police station / Police box  
Hospital  
Administrative boundary  
School zone (block) boundary  
Main highway  
Scope of the public sewer project plan

Note: School zone (block) boundaries shown on the map are approximate.

