

Kanazawa Flood Hazard Map Seinanbu School Zone

Flood (estimated maximum scale)
that occurs once every
1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Saigawa River: 860mm of rainfall in two days
Fushimigawa River: 931mm of rainfall in two days
Takahashigawa River: 938mm of rainfall in two days
Yasuharagawa River: 813mm of rainfall in 24 hrs
- Rivers other than the relevant rivers: Junin-gawa River, Korogawa River, Babagawa River
813mm of rainfall in 24 hrs over the entire basin

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital

- Administrative boundary
- School zone (block) boundary
- Main highway

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels

- 5.0 m - Flooding above 2nd floor roof
- 3.0 - 5.0 m Flooding up to 2nd floor ceiling
- 0.5 - 3.0 m Flooding up to 1st floor ceiling
- 0 - 0.5 m Flooding up to adult knee

When the top floor is flooded:

Early evacuation

When the top floor is not flooded:

Evacuation
*Note 1

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Areas where buildings may collapse or be washed away

- Areas where bank erosion may occur
- Areas where overflow may occur

Early evacuation

Sediment disaster


Sediment disaster risk area

- Sediment disaster hazard area

Early evacuation



Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main Seinanbu Elementary School	304 Yokaichide-machi	240-2501	2nd floor and above
Seinanbu Junior High School	1-149 Shinbohon	249-2317	○
Seinanbu Kominkan Community Ctr.	3-684 Nishikanazawa	240-8860	2nd floor and above
Yokaichide-machi Furumiya Park	718 Yokaichide-machi	—	○



Kanazawa Flood Hazard Map Seinanbu School Zone

Flood (estimated flood scale)
that occurs approx.
once every 50-100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 50-100 years).

- Relevant rivers and rainfall amount:
Saigawa River: 314mm of rainfall in two days
Fushimigawa River: 240mm of rainfall in two days
Takahashigawa River: 240mm of rainfall in two days
Yasuharagawa River: 149mm of rainfall in 24 hrs

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols


- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital

- Administrative boundary
- School zone (block) boundary
- Main highway

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels




Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area



Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main Seinanbu Elementary School	304 Yokaichide-machi	240-2501	2nd floor and above
Seinanbu Junior High School	1-149 Shinbohon	249-2317	○
Seinanbu Kominkan Community Ctr.	3-684 Nishikanazawa	240-8860	2nd floor and above
Yokaichide-machi Furumiya Park	718 Yokaichide-machi	—	○

※ The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Seibu Iko-no-ie
Civic Rest House

*2nd floor and above available

Seibu Shimin
Taiikukan Gym

*2nd floor and above available

Yonemaru School Zone

Kamuroda-bashi Bridge
Kamo-bashi Bridge
Yatsukuchi-bashi Bridge

Suzuran-bashi Bridge

Korogawa-bashi Bridge

Taroda-bashi Bridge

Goshozo-bashi Bridge

Shin-machi No.1 Bridge

Shin-nishikane-bashi Bridge

Otsubo-bashi Bridge

Karakida-bashi Bridge

Korogawa No.1 Bridge

Korogawa No.2 Bridge

Matsunoki-bashi Bridge

Boda-bashi Bridge

No.3 Bridge

Goromoshi-bashi Bridge

Nonoichi City

Seinanbu Junior High School

Oshino Fire Brigade

Seinanbu Elementary School

*2nd floor and above available

Seinanbu Kominkan Community Ctr.

*2nd floor and above available

Yokaichide-machi Furumiya Park

Nishi-kanazawa Police Box

Yokaichi Keyaki Children's Park

Yokaichi America-Fu Children's Park

Oshino Elementary School

Oshino Kominkan Community Ctr.

Oshino Citizens' Ctr.

Oshino Matsunoki Park

Kanazawa Flood Hazard Map Seinanbu School Zone


Inland flood
(estimated maximum scale)
that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols


- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital

- Administrative boundary
- School zone (block) boundary
- Main highway

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas


Estimated flooding areas and flood water levels



Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area



Historically flooded areas



* Areas where inundation occurred due to heavy rain between 2008 and 2024



Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main Seinanbu Elementary School	304 Yokaichide-machi	240-2501	2nd floor and above
Seinanbu Junior High School	1-149 Shinbohon	249-2317	○
Seinanbu Kominkan Community Ctr.	3-684 Nishikanazawa	240-8860	2nd floor and above
Yokaichide-machi Furumiya Park	718 Yokaichide-machi	—	○

※ The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Seibu Ikoi-no-ie
Civic Rest House

*2nd floor and above available

Seibu Shimin
Taiikukan Gym

*2nd floor and above available