


Kanazawa Flood Hazard Map

Shinkanda School Zone

Flood (estimated maximum scale)
that occurs once every
1000 years or more



Kanazawa Flood Hazard Map

Shinkanda School Zone

Flood (estimated flood scale)
that occurs approx.
once every 50-100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 50-100 years).

- Relevant rivers and rainfall amount:
Saigawa River: 314mm of rainfall in two days
Fushimigawa River: 240mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main	Shinkanda Elementary School	1-10-58 Shinkanda	291-3821
	Takaoka Junior High School	1-10-1 Shinkanda	291-3177
	Shinkanda Kominkan Community Ctr.	1-1-18 Shinkanda	291-0025

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

The ground cannot be used.
2nd floor and above
2nd floor and above

Facility Names		Address	Tel	Availability
Main	 Shinkanda Elementary School	1-10-58 Shinkanda	2 9 1 - 3 8 2 1	O *The ground cannot be used.
	 Takaoka Junior High School	1-10-1 Shinkanda	2 9 1 - 3 1 7 7	2nd floor and above
	 Shinkanda Kominkan Community Ctr.	1-1-18 Shinkanda	2 9 1 - 0 0 2 5	2nd floor and above

※ The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Kanazawa Flood Hazard Map

Shinkanda School Zone

Inland flood

(estimated maximum scale)
that occurs once every 1000 years or more


that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Map approved by the director of Geospatial Information Authority of Japan based on the Survey Act (R 7JHs 296)