

Kanazawa Flood Hazard Map

Shintate-machi Area

Flood (estimated maximum scale)
that occurs once every
1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount:
Saigawa River: 860mm of rainfall in two days
Asanogawa River: 914mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Legend

Designated emergency evacuation places	Map symbols
Schools, community centers, etc.	Building icon
Parks, squares	Green person icon
Evacuation information	
Water level observation station, Water level gauge	Water level gauge icon
River monitoring camera	Camera icon
Disaster prevention radio broadcast system	Antenna icon
Dangerous points on the evacuation route	
Bridge / Underground passage	Bridge icon
Bridge / Underpass	Bridge icon with a dotted line

Estimated hazardous areas

Estimated flooding areas and flood water levels	
5.0 m -	Flooding above 2nd floor roof
3.0 - 5.0 m	Flooding up to 2nd floor ceiling
0.5 - 3.0 m	Flooding up to 1st floor ceiling
0 - 0.5 m	Flooding up to adult knee

When the top floor is flooded: Early evacuation
When the top floor is not flooded: Evacuation *Note 1

Note 1: As an exception, taking shelter inside is also possible.

Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Areas where buildings may collapse or be washed away

Areas where bank erosion may occur	Early evacuation
Areas where overflow may occur	Early evacuation
Sediment disaster risk area	Early evacuation


1:7,000

0

175

350

700m



Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main	Former Shintate-machi Elementary School	3-25 Shintate-machi	—
	Prefectural Technical High School	2-3-6 Honda-machi	261-7156
	Yugakukan High School	2-2-3 Honda-machi	262-8484
	The Kanazawa Theatre	6-27 Shimohonda-machi	220-2501
	Shintate-machi Kominkan Community Center	62 Uroko-machi	231-0258
	The Fourth High School Memorial Park, Ishikawa	2-chome Hirosaka	262-5464
	Honda-no-mori Park	Dewa-machi	—
	Honda Park	3-51-1 Honda-machi	—

Kanazawa Flood Hazard Map Shintate-machi Area


Flood (estimated flood scale)
that occurs approx.
once every 100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 100 years).

- Relevant rivers and rainfall amount:
Saigawa River: 314mm of rainfall in two days
Asanogawa River: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.



Legend

Designated emergency evacuation places	Map symbols
Schools, community centers, etc.	○ Government office
Parks, squares	○ Fire station / Fire brigade etc.

Evacuation information	Map symbols
Water level observation station, Water level gauge	—
River monitoring camera	—
Disaster prevention radio broadcast system	—
Dangerous points on the evacuation route	—

Map symbols
○ Government office
○ Fire station / Fire brigade etc.
○ Police station / Police box
+
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—


Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—

Map symbols
—
—
—
—
—



Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main	Former Shintate-machi Elementary School	3-25 Shintate-machi	—
	Prefectural Technical High School	2-3-6 Honda-machi	261-7156
	Yugakukan High School	2-2-3 Honda-machi	262-8484
	The Kanazawa Theatre	6-27 Shimohonda-machi	220-2501
	Shintate-machi Kominkan Community Center	62 Uroko-machi	231-0258
	The Fourth High School Memorial Park, Ishikawa	2-chome Hirosaka	262-5464
	Honda-no-mori Park	Dewa-machi	—
	Honda Park	3-51-1 Honda-machi	—

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Kanazawa Flood Hazard Map

Shintate-machi Area

Inland flood (estimated maximum scale)


that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Legend

Designated emergency evacuation places		Map symbols	
Schools, community centers, etc.		○	Government office
Parks, squares		○	Fire station / Fire brigade etc.

Evacuation information	
Water level observation station, Water level gauge	Map symbols
River monitoring camera	○
Disaster prevention radio broadcast system	○
Main highway	—

Dangerous points on the evacuation route

Bridge / Underground passage
Bridge / Underpass

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels	
5.0 m -	Flooding above 2nd floor roof
3.0 - 5.0 m	Flooding up to 2nd floor ceiling
0.5 - 3.0 m	Flooding up to 1st floor ceiling
0 - 0.5 m	Flooding up to adult knee

When the top floor is flooded: Early evacuation

When the top floor is not flooded: Evacuation *Note 1

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

■	Sediment disaster hazard area
→	Early evacuation

Historically flooded areas

■	Historically flooded areas
→	* Areas where inundation occurred due to heavy rain between 2008 and 2024


1:7,000

0

175

350

700m



Designated Evacuation Locations			
Facility Names	Address	Tel	Availability
Main	Former Shintate-machi Elementary School	3-25 Shintate-machi	—
	Prefectural Technical High School	2-3-6 Honda-machi	261-7156
	Yugakukan High School	2-2-3 Honda-machi	262-8484
	The Kanazawa Theatre	6-27 Shimohonda-machi	220-2501
	Shintate-machi Kominkan Community Center	62 Uroko-machi	231-0258
	The Fourth High School Memorial Park, Ishikawa	2-chome Hirosaka	262-5464
	Honda-no-mori Park	Dewa-machi	—
	Honda Park	3-51-1 Honda-machi	—

*The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.