

Legend

Designated emergency evacuation places

Schools, community centers, etc.

Parks, squares

Evacuation information

Water level observation station, Water level gauge

River monitoring camera

Disaster prevention radio broadcast system

Dangerous points on the evacuation route

Bridge / Underground passage

Bridge / Underpass

Map symbols

Government office

Fire station / Fire brigade etc.

Police station / Police box

Hospital

Administrative boundary

School zone (block) boundary

Main highway

Relevant river area

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels

5.0 m - Flooding above 2nd floor roof

3.0 - 5.0 m Flooding up to 2nd floor ceiling

0.5 - 3.0 m Flooding up to 1st floor ceiling

0 - 0.5 m Flooding up to adult knee

When the top floor is flooded:

Early evacuation

When the top floor is not flooded:

Evacuation *Note 1

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Areas where buildings may collapse or be washed away

Areas where bank erosion may occur

Areas where overflow may occur

Early evacuation

Sediment disaster

Sediment disaster risk area

Sediment disaster hazard area

Early evacuation

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Yuhidera Elementary School	Ni-17 Higashinagae-machi	252-4471	3rd floor and above *
	Kanazawa Seiryō University Seiryō Sports Center	Tori-1 Gosho-machi	253-3924	○
	Senjukaku	He-2-1 Higashinagae	222-0008	○
	Yuhidera Kominkan Community Ctr.	Ro-35 Yuhidera-machi	251-0027	Not available
	Oku-utatsuyama Kenmin Park	E-85 Wakamatsu-machi	264-0395	○
	Gosho Katsura Park	1-42 Gosho-machi	—	○
	Gosho Sakura Park	1-407 Gosho-machi	—	○
	Gosho Nishi Park	2-189 Gosho-machi	—	○
	Gosho Higashi Park	2-172 Gosho-machi	—	○
	Sanno-machi No.2 Children's Park	2-168 Sanno-machi	—	○
	Sanno-machi No.4 Children's Park	1-394 Sanno-machi	—	○

Kanazawa Flood Hazard Map

Yuhidera School Zone


Flood (estimated maximum scale) that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs once every 1000 years or more).

- Relevant rivers and rainfall amount: Kanakusarigawa River: 938mm of rainfall in two days
- Rivers other than the relevant rivers: Kanakusarigawa River 813mm of rainfall in 24 hrs over the entire basin

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.



Kanazawa Flood Hazard Map

Yuhidera School Zone

Flood (estimated flood scale) that occurs approx. once every 50 years

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Yuhidera Elementary School	Ni-17 Higashinagae-machi	252-4471	3rd floor and above*
	Kanazawa Seiryō University Seiryō Sports Center	Tori-1 Gosho-machi	253-3924	○
	Senjukaku	He-2-1 Higashinagae	222-0008	○
	Yuhidera Kominkan Community Ctr.	Ro-35 Yuhidera-machi	251-0027	Not available
	Oku-utatsuyama Kenmin Park	E-85 Wakamatsu-machi	264-0395	○
	Gosho Katsura Park	1-42 Gosho-machi	—	○
	Gosho Sakura Park	1-407 Gosho-machi	—	○
	Gosho Nishi Park	2-189 Gosho-machi	—	○
	Gosho Higashi Park	2-172 Gosho-machi	—	○
	Sanno-machi No.2 Children's Park	2-168 Sanno-machi	—	○
	Sanno-machi No.4 Children's Park	1-394 Sanno-machi	—	○

※ The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 50 years).

- Relevant rivers and rainfall amount: Kanakusarigawa River: 237mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Map symbols

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital
- Administrative boundary
- School zone (block) boundary
- Main highway
- Relevant river area

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels	
5.0 m - Flooding above 2nd floor roof	When the top floor is flooded: Early evacuation
3.0 - 5.0 m Flooding up to 2nd floor ceiling	
0.5 - 3.0 m Flooding up to 1st floor ceiling	When the top floor is not flooded: Evacuation *Note 1
0 - 0.5 m Flooding up to adult knee	

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.


Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

Sediment disaster hazard area → Early evacuation





Legend

Designated emergency evacuation places

- Schools, community centers, etc.
- Parks, squares

Evacuation information

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

Dangerous points on the evacuation route

- Bridge / Underground passage
- Bridge / Underpass

Map symbols

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital
- Administrative boundary
- School zone (block) boundary
- Main highway
- Scope of the public sewer project plan

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

Estimated flooding areas and flood water levels

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m	Flooding up to 2nd floor ceiling		
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:	Evacuation *Note 1
0 - 0.5 m	Flooding up to adult knee		

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

Sediment disaster

Sediment disaster risk area

Sediment disaster hazard area

Early evacuation

Historically flooded areas

Historically flooded areas

* Areas where inundation occurred due to heavy rain between 2008 and 2024

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Yuhidera Elementary School	Ni-17 Higashinagae-machi	252-4471	3rd floor and above *
	Kanazawa Seiryō University Seiryō Sports Center	Tori-1 Goshō-machi	253-3924	○
	Senjukaku	He-2-1 Higashinagae	222-0008	○
	Yuhidera Kominkan Community Ctr.	Ro-35 Yuhidera-machi	251-0027	Not available
	Oku-utatsuyama Kenmin Park	E-85 Wakamatsu-machi	264-0395	○
	Goshō Katsura Park	1-42 Goshō-machi	—	○
	Goshō Sakura Park	1-407 Goshō-machi	—	○
	Goshō Nishi Park	2-189 Goshō-machi	—	○
	Goshō Higashi Park	2-172 Goshō-machi	—	○
	Sanno-machi No.2 Children's Park	2-168 Sanno-machi	—	○
	Sanno-machi No.4 Children's Park	1-394 Sanno-machi	—	○
	※ The availability of designated emergency evacuation shelters will be determined based on a flood scenario (estimated maximum scale) that occurs once every 1000 years or more.			

Kanazawa Flood Hazard Map

Yuhidera School Zone

Inland flood (estimated maximum scale)
that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

