

Kanazawa Flood Hazard Map

Hanazono Area

Flood (estimated maximum scale)  
that occurs once every  
1000 years or more

Rainfall criteria prerequisite for estimated flooding  
area designation

This hazard map shows the expected result of the  
following rivers overflowing due to the amount of  
rainfall detailed below (which only occurs once  
every 1000 years or more).

- Relevant rivers and rainfall amount:  
Morimotogawa River: 919mm of rainfall in two days  
Tsubatagawa River: 929mm of rainfall in two days  
Onogawa River/ Kahoku Lagoon: 768mm of rainfall  
in two days

Estimated flooding areas and flood water depth may  
differ from the map due to rainfall exceeding the  
estimated maximum scale, sediment, fallen trees, etc.

Legend

**Designated emergency evacuation places**

- Schools, community centers, etc.
- Parks, squares

**Evacuation information**

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

**Dangerous points on the evacuation route**

- Bridge / Underground passage
- Bridge / Underpass

**Map symbols**

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital
- Administrative boundary
- School zone (block) boundary
- Main highway

Note: School zone (block) boundaries shown on the map are approximate.

Estimated hazardous areas

**Estimated flooding areas and flood water levels**

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:
3.0 - 5.0 m	Flooding up to 2nd floor ceiling	Early evacuation
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:
0 - 0.5 m	Flooding up to adult knee	Evacuation *Note 1


Note 1: As an exception, taking shelter inside is also possible.  
Check the evacuation procedure.  
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

**Areas where buildings may collapse or be washed away**

- Areas where bank erosion may occur → Early evacuation
- Areas where overflow may occur → Early evacuation

**Sediment disaster**  
Sediment disaster risk area

- Sediment disaster hazard area → Early evacuation



Designated Evacuation Locations

Facility Names	Address	Tel	Availability
Main Hanazono Elementary School	Nu-34 Ima-machi	258-0133	*The ground cannot be used.
Main Former Uwadaira Elementary School	Ha-25 Uwadaira-machi	—	
Main Former Asahi Elementary School	Ho-33 Kagaasahi-machi	257-5547	
Hanazono Kominkan Community Ctr.	Chi-41 Ima-machi	258-0006	2nd floor and above



Kanazawa Flood Hazard Map

Hanazono Area

Flood (estimated flood scale) that occurs approx. once every 50-100 years

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the following rivers overflowing due to the amount of rainfall detailed below (which only occurs approx. once every 50-100 years).

- Relevant rivers and rainfall amount:  
Morimotogawa River: 237mm of rainfall in two days  
Tsubatagawa River: 237mm of rainfall in two days  
Onogawa River/ Kahoku Lagoon: 256mm of rainfall in two days

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated scale, sediment, fallen trees, etc.

**Legend**

**Designated emergency evacuation places**

- Schools, community centers, etc.
- Parks, squares

**Evacuation information**

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

**Dangerous points on the evacuation route**

- Bridge / Underground passage
- Bridge / Underpass

**Map symbols**

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital
- Administrative boundary
- School zone (block) boundary
- Main highway

Note: School zone (block) boundaries shown on the map are approximate.

**Estimated hazardous areas**

**Estimated flooding areas and flood water levels**

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m	Flooding up to 2nd floor ceiling		
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:	Evacuation *Note 1
0 - 0.5 m	Flooding up to adult knee		

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.  
Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

**Sediment disaster**

Sediment disaster risk area


Sediment disaster hazard area

Early evacuation

1:10,000

0 250 500 1,000m

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Hanazono Elementary School	Nu-34 Ima-machi	258-0133	○
Main	Former Uwadaira Elementary School	Ha-25 Uwadaira-machi	—	○
Main	Former Asahi Elementary School	Ho-33 Kagaasahi-machi	257-5547	○
	Hanazono Kominkan Community Ctr.	Chi-41 Ima-machi	258-0006	2nd floor and above





Kanazawa Flood Hazard Map

**Hanazono Area**

**Inland flood**  
(estimated maximum scale)  
that occurs once every 1000 years or more

Rainfall criteria prerequisite for estimated flooding area designation

This hazard map shows the expected result of the amount of rainfall detailed below (which only occurs once every 1000 years or more) in the area of the sewage work plan.

Inland water: 130 mm of rainfall in one hour

Estimated flooding areas and flood water depth may differ from the map due to rainfall exceeding the estimated maximum scale, sediment, fallen trees, etc.

The areas shown on the map are not the estimated flooding areas based on the Flood Prevention Law. Please refer to the map to understand flood risks and evacuation actions during heavy rainfall.

**Legend**

**Designated emergency evacuation places**

- Schools, community centers, etc.
- Parks, squares

**Evacuation information**

- Water level observation station, Water level gauge
- River monitoring camera
- Disaster prevention radio broadcast system

**Dangerous points on the evacuation route**

- Bridge / Underground passage
- Bridge / Underpass

**Map symbols**

- Government office
- Fire station / Fire brigade etc.
- Police station / Police box
- Hospital
- Administrative boundary
- School zone (block) boundary
- Main highway
- Scope of the public sewer project plan

Note: School zone (block) boundaries shown on the map are approximate.

**Estimated hazardous areas**

**Estimated flooding areas and flood water levels**

5.0 m -	Flooding above 2nd floor roof	When the top floor is flooded:	Early evacuation
3.0 - 5.0 m	Flooding up to 2nd floor ceiling		
0.5 - 3.0 m	Flooding up to 1st floor ceiling	When the top floor is not flooded:	Evacuation *Note 1
0 - 0.5 m	Flooding up to adult knee		

Note 1: As an exception, taking shelter inside is also possible. Check the evacuation procedure.

Note 2: If evacuation is unsafe, take shelter inside (vertical evacuation)

**Sediment disaster**

Sediment disaster risk area

Sediment disaster hazard area

Early evacuation

**Historically flooded areas**

Historically flooded areas

\* Areas where flooding occurred due to heavy rain in 2008 or later

Designated Evacuation Locations				
	Facility Names	Address	Tel	Availability
Main	Hanazono Elementary School	Nu-34 Ima-machi	258-0133	○
Main	Former Uwadaira Elementary School	Ha-25 Uwadaira-machi	—	○
Main	Former Asahi Elementary School	Ho-33 Kagaasahi-machi	257-5547	○
	Hanazono Kominkan Community Ctr.	Chi-41 Ima-machi	258-0006	2nd floor and above

