

Konan Area (South)

Heavy rain that occurs once every 1000 years or more
Estimated maximum scale

Rainfall criteria prerequisite to designation of estimated flooding areas


- Asanogawa River: two day total rainfall 914mm
- Kanakusari-gawa River: two day total rainfall 938mm
- Morimotogawa River: two day total rainfall 919mm
- Tsubatagawa River: two day total rainfall 929mm
- Onogawa River/ Kahoku Lagoon: two day total rainfall 768mm
- Unokegawa River: two day total rainfall 938mm
- Inland water: one hour rainfall 130mm
 (Heavy rain that occurs once every 1000 years or more in general)

Estimated flooding areas due to **estimated maximum scale rainfall (once every 1000 years or more)** for river overflow flooding and inland water flooding show the range and risk of flooding. In addition, areas historically flooded since 2008 or later are included.


Please note there is a potential for flooding in the areas outside the estimated areas, depending on rainfall conditions.

Estimated flooding areas and maximum water level

River overflow flooding



Inland water flooding



Note: See P15 for the difference between river overflow flooding and inland water flooding.

Evacuation

- Areas where evacuation is required (due to building collapse)
- Riverbank erosion**: Area where buildings may collapse due to embankment destruction
- Overflow**: Areas where buildings may collapse due to water flow



Sediment disaster

- Sediment disaster risk areas
- Sediment disaster hazard areas

Legend

Symbols for evacuation	Map symbols
Main evacuation center	Administrative boundary
Designated evacuation center (indoor)	School zone (block) boundary
Main highway	Government office
Dangerous points on the way to evacuation	Fire station, fire brigade, etc.
Underground	Police station, police box, etc.
Bridge, underpass	Hospital
	Disaster radio broadcast system
	Water level observation site

Note1: School zone (block) boundaries are approximate.
 Note2: The names of evacuation centers in school zones (blocks) are shown in thick-bordered boxes.



Konan Area (South)

Heavy rain that occurs once every 50~100 years
Estimated flood scale

Rainfall criteria prerequisite to designation of estimated flooding areas

- Asanogawa River: two day total rainfall 256mm
 - Kanakusari-gawa River: two day total rainfall 237mm
 - Morimotogawa River: two day total rainfall 237mm
 - Tsubatagawa River: two day total rainfall 237mm
 - Onogawa River/ Kahoku Lagoon: two day total rainfall 256mm
 - Unokeygawa River: two day total rainfall 237mm
- (Heavy rain that, in general, occurs once every 50~100 years)


This hazard map shows a simulation of river overflow flooding due to heavy rain that occurs once every 50~100 years (in general), including the range and risk of flooding.

In addition, areas historically flooded due to inland water flooding since 2008 or later are included.


Please note there is a potential for flooding in the areas outside the estimated areas, depending on rainfall conditions.

Legend	
Symbols for evacuation	Map symbols
Main evacuation center	Administrative boundary
Designated evacuation center (indoor)	School zone (block) boundary
Main highway	Government office
Dangerous points on the way to evacuation	Fire station, fire brigade, etc.
Underground	Police station, police box, etc.
Bridge, underpass	Hospital
	Disaster radio broadcast system
	Water level observation site

Note1: School zone (block) boundaries are approximate.
 Note2: The names of evacuation centers in school zones (blocks) are shown in thick-bordered boxes.




Estimated flooding areas and maximum water level



Note: See P15 for the difference between river overflow flooding and inland water flooding.

Sediment disaster



My Family's Disaster Notebook

● Fill in the blanks to complete your disaster notebook.

Evacuation centers/ Evacuation routes

* Determine multiple evacuation centers and multiple routes there, and mark them on the map.



Evacuation centers

Items to carry

* Share information of the storage places among family members.



Storage places

Shared commitment

* Please cooperate in your community to help people who need evacuation support.



Commitment

(For reference) Evacuation centers in your area and nearby areas (The available floors are for estimated maximum scale rainfall)

Name	Address	Tel	Available floors
Konan Kominkan Community Ctr.	Higashi-1459-1 Hatta-machi	258-0023	2nd floor or higher
Kanazawa Koyo High School	Higashi-590 Oba-machi	258-2355	2nd floor or higher
Morimoto Elementary School	I-111 Minamimorimoto-machi	258-0048	2nd floor or higher
Morimoto Kominkan Community Ctr.	Chi-103-1 Minamimorimoto-machi	258-0317	2nd floor or higher
Hanazono Elementary School	Nu-34 Ima-machi	258-0133	2nd floor or higher
Hanazono Kominkan Community Ctr.	Chi-41 Ima-machi	258-0006	2nd floor or higher

* Evacuation centers in your area and nearby areas are indicated in blue and yellow-green, respectively.

Contacts in Emergency/ Disaster

Tel No. in Emergency/ Disaster

Fire Fire/ Ambulance/ Rescue ☎ **119**

Police Crime/ Security/ Traffic accidents ☎ **110**

Emergency broadcast telephone service ☎ **0180-997171**

Roads
Road Maintenance Section, Kanazawa City ☎ **076-220-2321**

Sewage/ City water/ Gas leakage
Water & Energy Center, Kanazawa City ☎ **076-220-2281**

Power failure/ Electric pole or cable damage
Hokuriku Electric Power Company ☎ **0120-837119**

If telephone is not available

In the case of a large-scale disaster, the use of general telephones and mobile phones is restricted. Please use NTT Disaster Emergency Message Dial or the message board system of your mobile phone carrier to contact your family or friends.

Disaster Emergency Message Dial ☎ **171**

Please follow the audio guidance.

Disaster Emergency Message Board

- NTT West <https://www.web171.jp/>
- NTTdocomo <http://dengon.docomo.ne.jp/>
- au(KDDI) <http://dengon.ezweb.ne.jp/>
- SoftBank <http://dengon.softbank.ne.jp/>

